


开沟机链


Trencher chains




环 球 链 号 Universal Chain No.	节 距 Pitch	尺 寸 参 数 表 Dimension chart														平均抗拉强度 Average tensile strength	每米重量 Weight per meter
																Q ₀ kN	q kg/m
		P	d ₁ max	d ₂ max	b ₁ min	b ₂ max	W min	h ₂ max	L max	L _c max	T	O	WN	WP	S	Z	
4210-2L	42.01	22.23	11.1	25.5	35.3	35.4	28.6	50.25	52.85	4.8	10	70.6	25.4	28.6	39.7	108.5	6.8
4210-4L																	6.09
4210-2L-WS																88.2	6.8
4210-4L-WS																	6.09
5019-2L	50.8	28.58	14.27	32.05	45.15	45.25	38.1	64.8	69.5	6.45	13.5	93	50.8	38.1	56.65	134.4	13.21
5019-4L																	11.47

开沟机链


Trencher chains



4L型




2L型




环 球 链 号 Universal Chain No.	节 距 Pitch	尺 寸 参 数 表 Dimension chart														平均抗拉强度 Average tensile strength	每米重量 Weight per meter	
		P	d ₁ max	d ₂ max	b ₁ min	W min	h ₂ max	L max	L _c max	T	O	WN	WP1	WP	S	Z	Q ₀	q ≈
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
4210H-2LSK-3	42.01	22.23	11.11	25.5	38.7	31.7	58.29	61.29	6.3	10	69.9	25.4	41.3	33.3	44.45	151.2	9.05	
4210Hc-4LSK-3							59.0										7.97	

开沟机链


Trencher chains



4L型





2L型



环 球 链 号 Universal Chain No.	节 距 Pitch	尺 寸 参 数 表 Dimension chart														平均抗拉强度 Average tensile strength	每米重量 Weight per meter
		P	d ₁ max	d ₂ max	b ₁ min	W min	h ₂ max	L max	L _c max	T	O	WN	WP1	WP	S	Z	Q ₀
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
	4210-2LSK-3	42.01	22.23	11.11	25.4	35.5	34.9	53.3	54.9	4.8	10	81.66	50.8	8°	28.6	39.7	115.2
4210-4LSK-3	52.6							7.10									

开沟机链

Trencher chains



环 球 链 号 Universal Chain No.	节 距 Pitch	尺 寸 参 数 表 Dimension chart													平均抗拉强度 Average tensile strength	每米重量 Weight per meter
	P	d_1 max	d_2 max	b_1 min	W min	h_2 max	L max	L_c max	T	O	WN	WP	S	Z	Q_0	q $\approx$
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kg/m
5019-2L-WSK	50.8	28.58	14.12	31.75	46.02	41.28	68.0	73.0	6.35	13.5	99.96	50.8	38.1	54.0	191.3	13.99